



DIVA P/P

FDIPB1 - BIANCO - WHITE

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 40W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2500lm

Color Temperature: 3000K

Light Beam: 120° _ Diffusa

CRI: >80

Lifespan: 30.000h

IP Rating: IP20

Insulation Class: I


Montatura in alluminio bianco satinato. Diffusore in silicone bianco opale. Sorgente luminosa led. dimmerabile tramite dimmer esterno + push (non inclusi).




Frame in satin white aluminum. Opal white silicone diffuser. LED light source. dimmable via external dimmer + push-button dimmer (not included).

Monture en aluminium blanc satiné. Diffuseur en silicone blanc opale. Source lumineuse à Led . dimmable via un variateur externe + poussoir (pas inclus).

Satinierter weißer Aluminiumrahmen. Opalweißer Silikondiffusor. Led-Lichtquelle. dimmbar über externen Dimmer + Push (nicht im Lieferumfang enthalten).





DIVA P/P

FDIPO1 - ORO - GOLD

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 40W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2500lm

Color Temperature: 3000K

Light Beam: 120° _ Diffusa

CRI: >80

Lifespan: 30.000h

IP Rating: IP20

Insulation Class: I


Montatura in alluminio oro spazzolato. Diffusore in silicone bianco opale. Sorgente luminosa led. dimmerabile tramite dimmer esterno + push (non inclusi).




Frame in brushed gold aluminum. Opal white silicone diffuser. LED light source. dimmable via external dimmer + push-button dimmer (not included).

Monture en aluminium doré brossé. Diffuseur en silicone blanc opale. Source lumineuse à Led. dimmable via un variateur externe + poussoir (pas inclus).

Rahmen aus gebürstetem Goldaluminium. Opalweißer Silikondiffusor. Led-Lichtquelle. dimmbar über externen Dimmer + Push (nicht im Lieferumfang enthalten).





DIVA P/P

FDIPT1 - TITANIO - TITANIUM

TECHNICAL DATA

Installation: Interno _ Lampada a soffitto

Source: Led integrato

Power: 40W

Power Supply: 220-240V AC _ 50/60Hz

Dimming: Dimmerabile _ taglio fase+push non incl.

Lumen: 2500lm

Color Temperature: 3000K

Light Beam: 120° _ Diffusa

CRI: >80

Lifespan: 30.000h

IP Rating: IP20

Insulation Class: I

Montatura in alluminio titanio. Diffusore in silicone bianco opale. Sorgente luminosa led. dimmerabile tramite dimmer esterno + push (non inclusi).

Frame in titanium aluminum. Opal white silicone diffuser. LED light source. dimmable via external dimmer + push-button dimmer (not included).

Monture en aluminium titane. Diffuseur en silicone blanc opale. Source lumineuse à Led. dimmable via un variateur externe + poussoir (pas inclus).

Rahmen aus Titanaluminium. Opalweißer Silikondiffusor. Led-Lichtquelle. dimmbar über externen Dimmer + Push (nicht im Lieferumfang enthalten).

